Davey Blocks

made by

for classic yachts





Traditional design, strong, simple and functional

Davey Blocks for classic ugents

Compact ash blocks. **DaveyBlock** are produced for the British company DAVEY & Co London Ltd. Their shape is based on the English style of the 1920s. Tufnol sheaves. The **Daveyblock** are used for ropes from 8 mm to 14 mm.

Highlight: The stainless steel axle is secured with a screw, making it easy to dismantle the block for maintenance and inspection. The **Daveyblock** are intended for yachts up to 12-14 meters.


The advantages of the **DaveyBlocks**:



- traditional design,
- strong construction,
- varnish for difficult marine conditions,
- ✓ high strength sheaves,
- bindings are made of strong stainless steel (AISI316),
- v polished bindings

Type:

Est. (1885)



DaveyBlocks single sheaves



| | Davey Block 10E1 | Davey Block 12E1 | Davey Block 14E1 |
|---------|---------------------|---------------------|---------------------|
| Rope mm | 8-10 mm | 10-12 mm | 12-14 mm |
| Α | 78 | 90 | 104 |
| В | 57 | 68 | 77 |
| С | 46 | 48 | 54 |
| D | 40 | 50 | 60 |
| E | 12 | 13 | 13 |
| F | 17 | 18 | 19 |
| G | 14 | 16 | 18 |
| J | 6 | 8 | 8 |
| kg | 0,2 | 0,3 | 0,4 |



DaveyBlock/ double sheaves



| | Davey Block 10E2 | Davey Block 12E2 | Davey Block 14E2 |
|---------|---------------------|---------------------|---------------------|
| Rope mm | 8-10 mm | 10-12 mm | 12-14 mm |
| Α | 78 | 90 | 104 |
| В | 57 | 68 | 77 |
| С | 72 | 76 | 84 |
| D | 40 | 50 | 60 |
| E | 17 | 18 | 20 |
| F | 21 | 24 | 25 |
| G | 14 | 16 | 18 |
| J | 8 | 10 | 10 |
| kg | 0,3 | 0,5 | 0,8 |



DaveyBlock/ tripple sheaves




| | Davey Block 10E3 | Davey Block 12E3 | Davey Block 14E3 |
|---------|---------------------|---------------------|---------------------|
| Rope mm | 8-10 mm | 10-12 mm | 12-14 mm |
| Α | 78 | 90 | 104 |
| В | 57 | 68 | 77 |
| С | 98 | 93 | 114 |
| D | 40 | 50 | 60 |
| E | 42 | 44 | 48 |
| F | 30 | 30 | 30 |
| G | 14 | 16 | 18 |
| J | 10 | 12 | 12 |
| kg | 0,4 | 0,7 | 0,8 |





Type:

Est. 1885



DaveyBlock single sheaves with becket



| | Davey Block 10E1+ | Davey Block 12E1+ | Davey Block 14E1+ |
|---------|----------------------|----------------------|----------------------|
| Rope mm | 8-10 mm | 10-12 mm | 12-14 mm |
| Α | 78 | 90 | 104 |
| В | 57 | 68 | 77 |
| С | 46 | 48 | 54 |
| D | 40 | 50 | 60 |
| Е | 12 | 13 | 13 |
| F | 17 | 18 | 19 |
| G | 14 | 16 | 18 |
| Н | 17 | 21 | 21 |
| J | 6 | 8 | 8 |
| kg | 0,25 | 0,36 | 0,47 |



DaveyBlocks double sheaves with becket



| | Davey Block 10E2+ | Davey Block 12E2+ | Davey Block 14E2+ |
|---------|----------------------|----------------------|----------------------|
| Rope mm | 8-10 mm | 10-12 mm | 12-14 mm |
| Α | 78 | 90 | 104 |
| В | 57 | 68 | 77 |
| С | 72 | 76 | 84 |
| D | 40 | 50 | 60 |
| E | 17 | 18 | 20 |
| F | 21 | 24 | 25 |
| G | 14 | 16 | 18 |
| Н | 17 | 21 | 21 |
| J | 8 | 10 | 10 |
| kg | 0,35 | 0,56 | 0,87 |



DaveyBlock/ tripple sheaves with becket




| | Davey Block 10E3+ | Davey Block 12E3+ | Davey Block 14E3+ |
|---------|----------------------|----------------------|----------------------|
| Rope mm | 8-10 mm | 10-12 mm | 12-14 mm |
| Α | 78 | 90 | 104 |
| В | 57 | 68 | 77 |
| С | 98 | 93 | 114 |
| D | 40 | 50 | 60 |
| Е | 42 | 44 | 48 |
| F | 30 | 30 | 30 |
| G | 14 | 16 | 18 |
| Н | 17 | 21 | 21 |
| J | 10 | 12 | 12 |
| kg | 0,45 | 0,76 | 0,87 |





Type:





DaveyBlock/ single sheaves swivel



| | Davey Block 10E1SW | Davey Block 12E1SW | Davey Block 14E1SW |
|---------|-----------------------|-----------------------|-----------------------|
| Rope mm | 8-10 mm | 10-12 mm | 12-14 mm |
| Α | 78 | 90 | 104 |
| В | 57 | 68 | 77 |
| С | 46 | 48 | 54 |
| D | 40 | 50 | 60 |
| E | 14 | 14 | 16 |
| F | 8 | 10 | 10 |
| G | 14 | 16 | 18 |
| 1 | 20 | 22 | 24 |
| kg | 0,25 | 0,35 | 0,45 |





DaveyBlocks double sheaves swivel



| | Davey Block 10E2SW | Davey Block 12E2SW | Davey Block 14E2SW |
|---------|-----------------------|-----------------------|-----------------------|
| Rope mm | 8-10 mm | 10-12 mm | 12-14 mm |
| Α | 78 | 90 | 104 |
| В | 57 | 68 | 77 |
| С | 72 | 76 | 84 |
| D | 40 | 50 | 60 |
| Е | 14 | 16 | 16 |
| F | 10 | 10 | 10 |
| G | 14 | 16 | 18 |
| J | 22 | 24 | 24 |
| kg | 0,38 | 0,57 | 0,73 |






DaveyBlocks tripple sheaves swivel

| | Davey Block 10E3SW | Davey Block 12E3SW | Davey Block 14E3SW |
|---------|-----------------------|-----------------------|-----------------------|
| Rope mm | 8-10 mm | 10-12 mm | 12-14 mm |
| Α | 78 | 90 | 104 |
| В | 57 | 68 | 77 |
| С | 98 | 93 | 114 |
| D | 40 | 50 | 60 |
| E | 14 | 16 | 16 |
| F | 10 | 10 | 10 |
| G | 14 | 16 | 18 |
| J | 22 | 24 | 24 |
| kg | 0.45 | 0.9 | 1,08 |

Type:

Est. (1885)



DaveyBlock/ single sheaves swivel with becket



| | Davey Block 10E1SW+ | Davey Block 12E1SW+ | Davey Block 14E1SW+ |
|---------|------------------------|------------------------|------------------------|
| Rope mm | 8-10 mm | 10-12 mm | 12-14 mm |
| Α | 78 | 90 | 104 |
| В | 57 | 68 | 77 |
| С | 46 | 48 | 54 |
| D | 40 | 50 | 60 |
| E | 14 | 14 | 16 |
| F | 8 | 10 | 10 |
| G | 14 | 16 | 18 |
| Н | 17 | 21 | 21 |
| J | 20 | 22 | 24 |
| kg | 0,3 | 0,41 | 0,52 |



DaveyBlocks double sheaves swivel with becket



| | Davey Block 10E2SW+ | Davey Block 12E25W+ | Davey Block 14E25W+ |
|---------|------------------------|------------------------|------------------------|
| Rope mm | 8-10 mm | 10-12 mm | 12-14 mm |
| Α | 78 | 90 | 104 |
| В | 57 | 68 | 77 |
| С | 72 | 76 | 84 |
| D | 40 | 50 | 60 |
| E | 14 | 16 | 16 |
| F | 10 | 10 | 10 |
| G | 14 | 16 | 18 |
| Н | 17 | 21 | 21 |
| J | 22 | 24 | 24 |
| kg | 0,43 | 0,64 | 0,8 |




DaveyBlocks tripple sheaves swivel with becket

| | Davey Block 10E3SW+ | Davey Block 12E3SW+ | Davey Block 14E3SW+ |
|---------|------------------------|------------------------|------------------------|
| Rope mm | 8-10 mm | 10-12 mm | 12-14 mm |
| Α | 78 | 90 | 104 |
| В | 57 | 68 | 77 |
| С | 98 | 93 | 114 |
| D | 40 | 50 | 60 |
| E | 14 | 16 | 16 |
| F | 10 | 10 | 10 |
| G | 14 | 16 | 18 |
| н | 17 | 21 | 21 |
| J | 22 | 24 | 24 |
| kg | 0,5 | 0,96 | 1,15 |

Type:





DaveyBlocks single sheaves hook



| | Davey Block 10E1Hook | Davey Block 12E1Hook | Davey Block 14E1Hook |
|---------|-------------------------|-------------------------|-------------------------|
| Rope mm | 8-10 mm | 10-12 mm | 12-14 mm |
| Α | 78 | 90 | 104 |
| В | 57 | 68 | 77 |
| С | 46 | 48 | 54 |
| D | 40 | 50 | 60 |
| E | 11 | 14 | 14 |
| F | 30 | 30 | 30 |
| G | 14 | 16 | 18 |
| J | 8 | 10 | 10 |
| kg | 0,2 | 0,3 | 0,4 |





DaveyBlocks single sheaves hook with becket



| | Davey Block 10E1Hook+ | Davey Block 12E1Hook+ | Davey Block 14E1Hook+ |
|---------|--------------------------|--------------------------|--------------------------|
| Rope mm | 8-10 mm | 10-12 mm | 12-14 mm |
| А | 78 | 90 | 104 |
| В | 57 | 68 | 77 |
| С | 46 | 48 | 54 |
| D | 40 | 50 | 60 |
| E | 11 | 14 | 14 |
| F | 30 | 30 | 30 |
| G | 14 | 16 | 18 |
| н | 17 | 21 | 21 |
| J | 8 | 10 | 10 |
| kg | 0,25 | 0,36 | 0,47 |



DaveyBlock spring blocks




Standing springs for all types of Davey blocks with swivel fittings.





Type:





DaveyBlocks single sheaves strop



| | Davey Block 10ES1 | Davey Block 12ES1 | Davey Block 14S1 |
|---------|----------------------|----------------------|---------------------|
| Rope mm | 8-10 mm | 10-12 mm | 12-14 mm |
| Α | 78 | 90 | 104 |
| В | 57 | 68 | 77 |
| С | 46 | 48 | 54 |
| D | 40 | 50 | 60 |
| kg | 0,15 | 0,2 | 0,25 |





DaveyBlock double sheaves strop




| | Davey Block 10ES2 | Davey Block 12ES2 | Davey Block 14ES2 |
|---------|----------------------|----------------------|----------------------|
| Rope mm | 8-10 mm | 10-12 mm | 12-14 mm |
| A | 78 | 90 | 104 |
| В | 57 | 68 | 77 |
| С | 72 | 76 | 84 |
| D | 40 | 50 | 60 |
| kg | 0,2 | 0,3 | 0,45 |





Davey & Company Type: Est. \$\int 1885\$





DaveyBlocks fiddle



| | Davey Block 12EV | Davey Block 14EV |
|---------|---------------------|---------------------|
| Rope mm | 10-12 mm | 12-14 mm |
| Α | 175 | 280 |
| В | 80 | 125 |
| С | 48 | 75 |
| D1 | 65 | 110 |
| D2 | 40 | 70 |
| E | 13 | 25 |
| F | 18 | 38 |
| G | 16 | 25 |
| J | 8 | 8 |
| kg | 0,6 | 0,8 |





DaveyBlocks fiddle with becket



| | Davey Block 12EV+ | Davey Block 14EV+ |
|---------|----------------------|----------------------|
| Rope mm | 10-12 mm | 12-14 mm |
| Α | 175 | 280 |
| В | 80 | 125 |
| С | 48 | 75 |
| D1 | 65 | 110 |
| D2 | 40 | 70 |
| E | 13 | 25 |
| F | 18 | 38 |
| G | 16 | 25 |
| Н | 21 | 21 |
| J | 8 | 8 |
| kg | 0,66 | 0,87 |





DaveyBlocks in parts



Davey Blocks sales exclusively by Davey&Company London Ltd. and the company's business partners.

www.davey.co.uk